This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

WEST Search History

DATE: Thursday, July 08, 2004

| Hide? | Set Name | Query | Hit Count |
|-------|----------|---|-----------|
| | DB=PGPE | B,USPT,USOC; PLUR=YES; OP=ADJ | |
| | L10 | L6 and L1 | 6 |
| | L9 | L6 and L2 | 0 |
| | DB=EPAE | B,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | |
| | L8 | L6 | 21 |
| | DB=PGPE | B,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YE | S; OP=ADJ |
| | L7 | L6 and (graphic\$ near2 (attribute or primitive)) | 3 |
| | L6 | spy\$ same (object or component) | 1202 |
| | L5 | L4 and (graphic\$ near2 (attribute or primitive)) | 2 |
| | L4 | spy near (object or component) | 14 |
| | DB=PGPE | B,USPT,USOC; PLUR=YES; OP=ADJ | |
| | L3 | L2 or L1 | 4899 |
| | L2 | 345/619,771-773.ccls. | 1081 |
| | L1 | 717/103-113,120-135,158-159,174-178.ccls. | 3832 |

END OF SEARCH HISTORY

Hit List

Search Forms

Search Results

Help Clear Generate Collection

Print |

Fwd Refs

Bkwd Refs

Generate OACS

User Search Preferences

Search Results - Record(s) 1 through 6 of 6 returned.

-Logout-

□ 1. Document ID: US 20030188292 A1

Using default format because multiple data bases are involved.

L10: Entry 1 of 6

File: PGPB

Oct 2, 2003

PGPUB-DOCUMENT-NUMBER: 20030188292

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030188292 A1

TITLE: System and method for configuration using an object tree formed of hierarchically

graduatable objects

PUBLICATION-DATE: October 2, 2003

INVENTOR-INFORMATION:

NAME

CITY

STATE

Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWIC Draw. Desc

COUNTRY

RULE-47

Herkert, Gebhard

Limbach

DE

US-CL-CURRENT: <u>717/105</u>; <u>700/17</u>

□ 2. Document ID: US 20030167456 A1

L10: Entry 2 of 6

File: PGPB

Sep 4, 2003

PGPUB-DOCUMENT-NUMBER: 20030167456

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030167456 A1

TITLE: Architecture for building scalable object oriented web database applications

PUBLICATION-DATE: September 4, 2003

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

RULE-47

Sabharwal, Vinay

Fremont

CA

US

US-CL-CURRENT: 717/108

ABSTRACT:

A method for modeling and rapidly building high performance object oriented database applications for web environments is disclosed. The modeling encompasses behavioral

object modeling as well as structural data modeling according to a set of rules that yields a layered object model with no compromises on the database design, the application's functionality or code reusability and extensibility. A high level mechanism based on the Extensible Markup Language (XML) is used to declare the structure and behavior of modeled persistent objects that exhibit functionally complete object orientation and whose implementations are realized through packages of database stored procedures and associated structures. Code generators produce the necessary application and database code from the XML specification, enabling rapid development. The packages of stored procedures encapsulate all aspects of the database design and database programming, yielding performance, flexibility and future-proofing of the applications from changing requirements, database versions and database performance tuning. The generated code, in conjunction with a lightweight run time infrastructure, provides performance and development productivity features that are specifically geared for the stateless web environment in order to support scrolling of very large result sets from the database, to automatically detect conflicting changes from multiple concurrent users, and to automatically render the state of persistent objects in XML for personalization and data interchange. Additional performance features include highconcurrency caching of persistent objects with transactional semantics for ensuring transaction isolation among multiple threads of execution.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Drawi Desc I |
|-------|-------|----------|--------|--------|----------------|------|-----------|-----------|-------------|--------|-------|----------------|
| | 3. | Docum | ent I[| D: US | 6611955 E | 31 | | | | | | |
| . 10. | Ent v | y 3 of | 6 | | | | File: | HSPT | | | Aug 2 | 26, 2003 |

US-PAT-NO: 6611955

DOCUMENT-IDENTIFIER: US 6611955 B1

TITLE: Monitoring and testing middleware based application software

DATE-ISSUED: August 26, 2003

INVENTOR-INFORMATION:

| NAME | CITY | STATE | ZIP CODE | COUNTRY |
|------------------------|----------------|-------|----------|---------|
| Logean; Xavier | Heremence | | | CH |
| Dietrich; Falk | Lausanne | | | CH |
| Hubaux; Jean-Pierre A. | Preverenges | | | CH |
| Grisouard; Sylvain | Paris | | | FR |
| Etique; Pierre-Alain | Hinterkappelen | | | CH |
| Koppenhoefer; Shawn E. | Lausanne | | | CH |

US-CL-CURRENT: 717/128; 714/38, 719/318

ABSTRACT:

A method for on-line monitoring and testing the behavior of middleware based, distributed application software during run-time of such software is disclosed. In order to automatize the monitoring of the behavior of the application software, the monitoring method comprises: defining events capturing the behavior of the software execution, the events being based on an abstraction of the application software, the abstraction being provided by middleware; using code generating means and an instrumentation technique for automatically adding code to the implementation of the software code suitable for

generating traces suitable to be sent to an observer, the information carried by the added code including information on the order of occurrence of the events and on the application software part location where each event occurs; and using a monitoring mechanism based on sending of trace reports to the observer, which ensures or takes into account the time order of the reported traces. In order to automatize testing of the behavior of the application software, the testing method comprises monitoring the behavior of the software during run-time thereof by the above mentioned method, and using a checking mechanism using the information monitored at runtime for checking whether the behavior is violating or has violated predefined properties or constraints.

16 Claims, 2 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 2



☐ 4. Document ID: US 6163881 A

L10: Entry 4 of 6

File: USPT

Dec 19, 2000

US-PAT-NO: 6163881

DOCUMENT-IDENTIFIER: US 6163881 A

TITLE: Method of monitoring the operation of a computer

DATE-ISSUED: December 19, 2000

INVENTOR-INFORMATION:

NAME: CITY

Sauvage; Pierre Notre Dame de Commiers

STATE ZIP CODE

COUNTRY

FR

US-CL-CURRENT: 717/128; 717/163

ABSTRACT:

A method is provided for automatically storing indications regarding conditions prevailing in a computer running a user application (1) that employs a library (2). This method involves providing an interface component (3) interposed between the user application and library. The interface component (3) is arranged to receive messages from the user application (1) destined for the library (2), pass on these messages to the library (2), and monitor and store indications regarding conditions prevailing in the computer at the time the messages are received or passed. Provision is made for dynamically changing the indications to be monitored.

9 Claims, 5 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 3

| Full Ti | itle | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw, Desc |
|---------|------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|------------|
|---------|------|----------|-------|--------|----------------|------|-----------|--|--|--------|------|------------|

5. Document ID: US 6118447 A

L10: Entry 5 of 6

File: USPT

Sep 12, 2000

US-PAT-NO: 6118447

DOCUMENT-IDENTIFIER: US 6118447 A

TITLE: Apparatus and methods for analyzing software systems

DATE-ISSUED: September 12, 2000

INVENTOR-INFORMATION:

NAME CITY

STATE ZIP CODE

COUNTRY

Harel; Avraham

Haifa

ΙL

US-CL-CURRENT: <u>717/131</u>

ABSTRACT:

A system and method for mode error troubleshooting including software system structure generation including prompting a developer to define a first plurality of tasks to be performed by a software system, to define a second plurality of modes in which the software system is to operate and to define for at least one task, at least one inappropriate mode in which the task cannot be performed and troubleshooting including prompting an end user to select a target task, searching for inappropriate modes in which the target task cannot be performed and providing an alert indicating when the end user is in one of the inappropriate modes.

6 Claims, 137 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 77

| Full | Titl∈ | Citation | Front | Review Classification | Date | Reference | Claims | KWIC | Drawu Desc |
|------|-------|----------|-------|-----------------------|------|-----------|--------|------|------------|
| | | | | | - | | | | |

☐ 6. Document ID: US 5313616 A

L10: Entry 6 of 6

File: USPT

CA

May 17, 1994

US-PAT-NO: 5313616

DOCUMENT-IDENTIFIER: US 5313616 A

** See image for Certificate of Correction **

TITLE: Method for analyzing calls of application program by inserting monitoring routines into the executable version and redirecting calls to the monitoring routines

DATE-ISSUED: May 17, 1994

INVENTOR-INFORMATION:

NAME CITY

STATE ZIP CODE COUNTRY

Cline; David C.

San Jose

Silverman; Andrew P.

Los Gatos CA

Wymore; Farrell W.

Mountain View CA

US-CL-CURRENT: 717/127; 713/323, 714/35, 714/45, 717/130

ABSTRACT:

A method for verifying the conformance of an application program to a set of system rules characterized by the development of a conformance database, the performance of a static analysis of the application program to determine whether the application program is in static conformance with the conformance database and the performance of a dynamic analysis of the application program to determine whether the application program is in dynamic conformance with the conformance database. The static analysis produces a graph of the basic blocks of the application program and analyzes the graph for conformance to system rules, dead code and coverage metrics. The dynamic analysis adds a small amount of monitoring code into an executable application program which monitors the application program as it is exercised in a test harness. The monitoring code produces a log database which can be analyzed for run-time non-conformities of the application program.

11 Claims, 17 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 15

| Full Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KMIC | Draw Des | ; I |
|------------|-------------|----------|------------|----------------|--------|-------------------|-------|--------|--------|--------|----------|--|
| | | | | | | | | | | | | |
| | | | | | | | | | 4 | | | ************************************** |
| | | narata : | Callectic | ın I P | rint | Fwd Refs | l Bkw | d Refs | I Ge | nerate | OACS | |
| Clear | Ger | nerate | Collection | on P | rint _ | Fwd Refs | Bkw | d Refs | Ge_ | nerate | OACS | |
| | Ger erms | nerate | Collectio | on P | rint] | Fwd Refs Document | | d Refs | Ge_ | nerate | OAGS | |

Change Format Display Format: |-

Next Page Go to Doc# Previous Page